

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	251	((chang\$4 control \$4 vary\$4) near10 (color near5 temperature)) and ((chang\$4 control \$4 vary\$4 adjust\$4) near10 (duty near3 cycle)) and ((chang \$4 control\$4 vary\$4 adjust\$4) near10 (current power voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 14:31
L15	57	14 and ((set\$4 select\$4) near10 (duty near3 cycle))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 14:32
L18	57	15 and (lamp light \$4 bulb load)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 14:33
L19	32	((chang\$4 control \$4 vary\$4) and (color near5 temperature) and (duty near3 cycle) and (current power voltage)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 14:34
L22	21	Vermeulen-Fransiscus-Arnoldus \$.in. Geijtenbeek-Johannes-Jacobus-Franciscus\$.in. Hendrix-Johan-Leopold-Victorina\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 14:55

9/ 7/ 2008 2:58:20 PM

C:\Documents and Settings\ealemu\My Documents\EAST\workspaces\10563922a.wsp